

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"031499".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:16
L2	53	(assign\$5 or task\$3 ) with (entry or filter\$3 or register or add\$3 or insert \$3) with (referenc\$3 or relation\$3 or relevanc\$3 or link\$3) with (table or structure or database or storage or memory or application or model\$3 or modul\$3 or protocol) with context\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:22
L3	4	2 and @ad<"20000515" and (encod\$3 or decod\$3 or encrypt\$3 or decrypt \$3) and transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:22
L4	1129	(entry or filter\$3 or register or add\$3 or insert \$3) with (referenc\$3 or relation\$3 or relevanc\$3 or link\$3) with (table or structure or database or storage or memory or application or model\$3 or modul\$3 or protocol) with context\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:24
L5	79	4 and @ad<"20000515" and (encod\$3 or decod\$3 or encrypt\$3 or decrypt \$3) and transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:25
L6	279806	(packet or format\$4 or structure or template or bundle or package or protocol or table) with (encod\$3 or decod\$3 or encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:25

L7	39	5 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:25
L8	4	2 and @ad<"20000515" and (encod\$3 or decod\$3 or encrypt\$3 or decrypt \$3) and transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:30
L9	569	(assign\$5 or task\$3 ) with (entry or filter\$3 or register or add\$3 or insert \$3) with (referenc\$3 or relation\$3 or relevanc\$3 or link\$3) with (table or structure or database or storage or memory or application or model\$3 or modul\$3 or protocol) with (location or address or geographic or coordinate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:32
L10	80	9 and @ad<"20000515" and (encod\$3 or decod\$3 or encrypt\$3 or decrypt \$3) and transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:33
L11	41	10 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:33
L12	219	(creat\$3 or generat\$3 or build\$3 or construct\$3 ) with (entry or filter\$3 or entries or register or add \$3 or insert\$3) with (referenc\$3 or relation\$3 or relevanc\$3 or link\$3) with (table or structure or database or storage or memory or application or model\$3 or modul\$3 or protocol) with (location or address or geographic or coordinate) with (description or specification or defin\$6 or predefin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:37

L13	23	12 and @ad<"20000515" and (encod\$3 or decod\$3 or encrypt\$3 or decrypt\$3) and transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:44
L14	411	(map\$4 with object\$1 with (location or geographic or address or coordinate)) and @ad<"20000515" and (encod\$3 or decod\$3 or encrypt\$3 or decrypt\$3) and transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:56
L15	3	14 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:56
L16	182	14 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:56
L17	0	16 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:58
L18	1368	(entry or filter\$3 or entries or register or add\$3 or insert\$3) with (referenc\$3 or relation\$3 or relevanc\$3 or link\$3) with (table or structure or database or storage or memory or application or model\$3 or modul\$3 or protocol) with (location or address or geographic or coordinate) with (description or specification or defin\$6 or predefin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:58
L19	0	16 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 10:59

L20	182	16 and @ad<"20000515" and (encod\$3 or decod\$3 or encrypt\$3 or decrypt \$3) and transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 11:00
L21	19	16 and (assign\$5 with (location or geographic or coordinate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 11:00
L22	18	16 and ((search\$3 or quer \$3 or determin\$3 or identif \$6 or map\$4 or compar \$3) with (referenc\$3 or relation\$4 or link\$3 or relevanc\$3) with (table or structure or protocol or format\$3 or template or interface or framework) with (defin\$6 or predefin \$6 or descript\$4 or specification or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 11:17
S1	313	(creat\$3 or generat\$3 or construct\$3 or build\$3) with (packet or format\$4 or structure or template or bundle or package or protocol or table) with (search\$3 or quer\$3 or determin\$3 or identif\$5 ) with (location or geographic\$4 or geometry or address or coordinate ) with (referenc\$3 or link\$4 or relation\$4 or relevance) with (description or specification or defin\$5 or metadata or context\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 07:46
S2	279806	(packet or format\$4 or structure or template or bundle or package or protocol or table) with (encod\$3 or decod\$3 or encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 07:47
S3	85	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 07:47

S4	11	S3 and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 07:48
S5	53	S1 and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 07:53
S6	26	S1 and @ad<"20000515" and map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 07:54
S7	17	S1 and @ad<"20000515" and (encod\$3 or decod\$3 or encrypt\$3 or decrypt \$3) and transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 08:19
S8	1296	(packet or format\$4 or structure or template or bundle or package or protocol or table) with (search\$3 or quer\$3 or determin\$3 or identif\$5 ) with (location or geographic\$4 or geometry or address or coordinate ) with (referenc\$3 or link\$4 or relation\$4 or relevance) with (description or specification or defin\$5 or metadata or context\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 08:25
S9	76	S8 and @ad<"20000515" and (encod\$3 or decod\$3 or encrypt\$3 or decrypt \$3) and transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/15 08:26

**EAST Search History (Interference)**

&lt; This search history is empty &gt;

**11/ 15/ 2009 12:00:42 PM**